
N 39 E 166 14
N 26 W 129.99



Norway 1875-80

* For Govt notes of S. side Sec 31 & Sec. lines bet. 5TH & 6TH tiers C.S.30

T. 5 N.,R. 16 W. S.B.M.

From the cor.to secs. 35,36, 1 and 2 on S.B., I run Va.14°25'E.
North bet.secs. 35 & 36.
I find post for cor.to secs.35,36,1 & 2 standing as per description furnished.
Ascend.
25.50 25.50 A canada brs. N 10°E.& S. 10°W.
40.00 40.00 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft. in dia.at base by 2 ft.in height for ¼ sec.cor.
47.50 47.50 Enter gulch 50 lks.wide co. S.W.
59.00 59.00 Leave same & ascend
80.00 80.00 The cor.falling in deep gulch,a place not suitable to build mound, I set post 4 in.sq. 1 ft.in earth 1 ft.above stone mound 4½ ft.in dia.at base by 2 ft.in height 3.00 chs. N. for witness post to cor.to secs. 25,26,35,36.
Land mountainous, soil 1st.rate.
Timber & undergrowth of oak,cedar & chemisal.

Va.14°25'E.

East on a random line bet.secs. 25 and 36.
From true cor.in gulch
4.00 Leave gulch 20 lks. wide co. S.W.
9.50 Cross gulch 50 lks.wide co. S.& ascend
13.00 Top of high perpendicular bluff brs. N.& S.& descend
33.50 Cross near head of short gulch co. N.E.
40.00 Set temp. ¼ sec.cor.& enter canada brs. N.& S.
42.00 Cross mouth of gulch in canada 25 lks.wide co. SE.
46.00 A wash in canada co. S.
48.00 Cross same. House of Italians brs. S.19½° W.about 10 chs.dist.
51.00 Leave canada and ascend
57.00 Summit of spur brs. NW.& SE.& descend
74.00 Cross gulch in canada 15 lks.wide co. S.W.ascend
80.00 Int. E.B.of Tp.at cor.to secs. 25 and 36.
from which cor.I run
West on a true line bet.secs. 25 & 36. Va.14°25'E.

40.00 Set post 4 in'dia. 1 ft.in earth 1 ft.above stone mound 4 ft. in dia. at base by 2ft.in height for ¼ sec.cor.,from which brs. a Live oak 24 in.dia.S.62½°E. 164 lks.dist.

Land mostly level, soil 1st.rate
Timber & undergrowth of oak,sycamore,willow,cottonwood & chamisal

---

Va.14°25'E.

North bet.secs.25 & 26.
From true cor. Ascend.
Witness post
3.00 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.in
40.00 dia.at base by 2 ft.in height for ¼ sec.cor.
Set post 4 in.sq. 1 ft.in earth 1 ft.above stone mound 4½ ft.in
80.00 dia.at base by 2 ft.in height for cor.to secs. 23,24,25,26
Land mostly level, soil 1st.rate.
Timber & undergrowth of oak,sycamore,willow,cottonwood & chamisal.

Va.14°25'E.

East on a random line bet.secs. 24 and 25.
Descend
Enter Canada brs. N.& S.
18.33 Cross gulch 18 lks.wide co.S.
22.50 Leave canada brs. N.& S. & ascend
31.00 On summit of low spur bearing N. & S. Set temp. ¼ sec.cor.&
40.00 descend.
Enter canada brs. N.& S.
42.00 Cross wash 100 lks. wide co.S.
50.00 Leave canada brs. N. & S. & ascend
57.50 Int. E.B.of Tp. 16 lks. N.of cor.to secs. 24 & 25,
60.22 from which cor.I run
N. 89°53' W.on a true line bet.secs. 24 & 25.

Va.14°25'E.

Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.
40.11 in dia.at base by 2 ft.in height for ¼ sec.cor.
The cor.to secs. 23,24,25 & 26.
60.22 Land mountainous,soil 1st.& 2nd.rate.
Timber & undergrowth of oak,sycamore,willow,cottonwood &chamisal.

Va.14°25'E.

North bet.secs. 23 & 24.
Ascend.
Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.
40.00 in dia.at base by 2 ft.in height for ¼ sec.cor.
Summit of high spur brs. NE.& SW.& descend
59.00 Set post 4 in.sq. 1 ft.in earth 1 ft.above stone mound 4½ ft.in dia.
80.00 at base by 2 ft.in height for cor.to secs. 13,14,23 & 24.
Land mountainous, soil 2nd.rate.
Timber & undergrowth of oak & chamisal

Va.14°25'E.

East on a random line bet.secs. 13 and 24.
Ascend
30.00 Summit of high ridge brs. N.& SW.& descend
40.00 Set post for temp. ¼ sec.cor.
54.50 Cross gulch 50 lks.wide course S.E.& ascend
80.10 Int. E.B.of Tp. 31 lks.N.of cor.to secs.13 & 24.
from which cor.I run
N.89°47'W.on a true line bet.secs. 13 & 24.

Va.14°25'E.

Set stone 16 x 12 x 10 in stone mound 4 ft.in dia.at base by
40.05 2 ft.in height for ¼ sec.cor.
The cor.to secs. 13,14, 23 & 24.
80.10 Land mountainous, soil 2nd.rate.
Timber & undergrowth ofock & chemisal.

Jan.17,1880

North bet.secs. 13 & 14.

Va.14°25'E.

Descend
Cross gulch 20 lks.wide co. S.W.& ascend
31.75 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.
40.00 in dia.at base by 2 ft.in height for ¼ sec.cor.
Summit of high ridge brs. N.E.& SW.& descend
60.00 Set post 4 in.sq. 1 ft.in earth 1 ft.above stone mound 4½ ft.in
80.00 dia.at base by 2 ft.in height for cor.to secs.11,12,13 & 14.
Land mountainous,soil 2nd.rate.
Timber & undergrowth of oak & chamisal.

East on a random line bet.secs.12 & 13. Va.14°25'E.
Ascend
28.50 Summit of spur brs. NE.& SW.
40.00 Set temp. ¼ sec.cor. Descend
59.75 Cross gulch 20 lks.wide co.S. & ascend
79.82 Int. E.B.of Tp. 21 lks. N.of cor.to secs. 12 & 13
from which cor.I run
N 89°51' W.on a true line bet.secs. 12 & 13.
Va.14°25'E.
39.91 Set stone 24 x 16 x 8 in stone mound 4 ft.in dia.ay base by
2 ft.in height for ¼ sec.cor.
79.82 The cor.to secs. 11,12,13,14
Land mountainous, soil 2nd.rate.
Timebr & undergrowth of oak & chemisal

North bet.secs.11 & 12. Va.14°25'E.
Descend.
21.50 Cross gulch 25 lks.wide co. SW.& ascend
39.00 Summit of spur brs. E.& W. & descend
40.00 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.
in dia.at base by 2 ft.in height for ¼ sec.cor.,
thence descending along S. side of canada de San Francisco
80.00 Set post 4 in.sq. 1 ft.in earth 1 ft.above stone mound 4½ ft.in
dia.at base by 2 ft.in height for cor.to secs.1,2,11,12.
Land mountainous,soil 1st.& 2nd.rate.
Timber & undergrowth of oak & chemisal.

East on a random line bet,secs.1 & 12. Va.14°25'E.
Ascend
40.00 Set temp. ¼ sec.cor.
79.76 Int. E.B.of Tp. 10 lks. S.of cor.to secs. 1 & 12.
from which cor. I run
S 89°56'W on a true line bet.secs. 1 & 12.
Va 14°25'E.
39.88 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.
in dia.at base by 2 ft.in height for ¼ sec.cor.
79.76 The cor.to secs. 1,2,11 & 12.
Land mountainous, soil 1st.rate.
Timber & undergrowth ofoak & chemisal.

North on a true line bet.secs.1 & 2. Va.14°25'E.
Descend.
12.50 Enter Canada of San Francisco brs. SW. & NE.
16.00 A house brs. E.about ~~2~~ 2.00 chs.dist.
17.50 Enter wash in canada cc.SW.
30.00 Leave same
35.00 Foot of mountain,leave canada brs. NE.& SW. & ascend
40.00 The cor.falling on steep side hill,a place not suitable to
build mound,I set post 4 in.dia 1 ft.in earth 1 ft.above stone
mound 4 ft.in dia.at base by 2 ft.high 4.50 chs.S.for witness
post to ¼ sec.cor.,from which brs. a
Forked oak 10 in.dia. N 71°E. 66 lks.dist.

49.50 Summit of spur brs. E. & W.& descend
63.50 Cross gulch 28 lks.wide co. SE.& ascend
103.43 Int. at.STD.line N.1.40 chs. E.of st'd.cor.to Tps. 6N.,Rs.15 & 16W. & set post 4 in.sq 1 ft.in earth 1 ft.above stone mound for 4½ ft.in dia.at base by 2 ft.in height for closing cor.to secs. 1 & 2.
Land mountainous, soil 1st.& 2nd.rate.
Timber & undergrowth of oak & chemisal.

North bet.secs.34 & 35 Va.14°25'E.
From witness post 4.70 chs.W.of true cor.to secs'34 & 35, thence E. 4.70 chs.
40.00 The point for ¼ sec.cor.falling on steep bluff,a place not suitable to build mound, I continued N. & at
50.00 I set post 4 in.dia 1 ft.in earth 1 ft.above stone mound 4 ft.in dia.at base by 2 ft.in height for witness post to ¼ sec.cor.
58.00 Cross gulch 20 lks. wide co.SW.
70.00 Cross gulch 10 lks.wide co.SW.
80.00 The point for cor.to secs.26,27,34 & 35 falling in deep wash,a place not suitable to build mound,I set post 4 in.sq.1 ft.in earth 1 ft.above stone mound 4½ ft.in dia.at base by 2 ft.in height 1.00 ch.W.for witness post to said cor.,from brs.a
Live oak 24 in.dia. N 9°E. 367 lks.dist.
Land mountainous, soil 1st.& 2nd.rate.
Timber & undergrowth of oak & chemisal.

East on a random line bet.secs. 26 & 35.
Ascending from true cor. Va.14°25'E.
25.00 Top of spur brs. N. & S. & descend.
40.00 Set temp. ¼ sec.cor.
40.50 Enter Canada brs. NW.& SE.
41.50 Cross wash 50 lks.wide co.S.
46.50 Leave Canada brs. N.& S.& ascend
79.86 Int.N.& S,line at cor.to secs. 25,26,35 & 36 from which cor.I run
West on a true line bet.secs. 26 & 35.
Va.14°25'E.
39.93 The point for ¼ sec.cor.falling on steep bluff,a place not suitabl to build mound,I set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound,4 ft.in dia.at base by 2 ft.in height 50 lks.E.for witness post to ¼ sec.cor., from which brs. a
Cottonwood 12 in.dia. S. 9½°E. 22 lks.dist.
Willow 10 in.dia. N.5½°W. 14 lks.dist.
House brs. S.about 18.00 chs. dist.
79.86 The cor.to secs. 26,27,34 & 35.
Land mountainous, soil 1st.rate.
Timber & undergrowth of oak,willow,cottonwood & chemisal.
Jan.8-1880

North bet.secs.26 & 27 Va.14°25'E.
Descending from true cor.
.75 A wash brs. N.E.& SW.& ascend
35.00 Top of ridge brs. NE.& SW.& descend
40.00 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.in di at base by 2 ft.in height for ¼ sec.cor.
House of Dolores Cardoba brs.N.83°W.about 30 chs.dist.
70.00 House of Jesus Laius brs.W.about 1800 chs.dist.

80.00 Set post 4 in.sq. 1 ft.in earth 1 ft.above stone mound 4½ ft.in dia.at base by 2 ft.in height for cor.to secs.22,23,26,27.
Land mountainous,soil 1st.& 2nd.rate
Timber & undergrowth of oak & chemisal
East on a random line bet.secs. 23 & 26.
Va.14°25'E.

Ascend.
20.00 A Canada brs. N.& S.
31.50 Cross gulch 60 lks.wide course S. & ascend
40.00 Set temp. ¼ sec.cor.
60.00 Summit of spur brs. N.& S.& descend
79.83 Int. N.& S.line 21 lks. S.of cor.to secs.23,24,25,26
from which cor.I run
S. 89°51'W.on a true line bet.secs. 23 & 26
Va.14°25'E.
39.91 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound
4 ft.in dia.at base by 2 ft.in height for ¼ sec.cor.
79.82 The cor.to secs. 22,23,26, 27.
Land mountainous, soil 2nd.rate.
Timber & undergrowth of oak & chemisal.

North bet.secs.22 & 23. Va.14°25'E.
Over broken spurs.
18.00 Canada San Francisco brs. NE.& SW. & ascend
21.50 Point of hill & descend.
35.00 Canada San Francisco brs. N.E.& SW.
40.00 Set post 4 in.dia. 1 ft.in earth x 1 ft.above xxxxx earth mound 4 ft.
in dia. at base by 2 ft.in height & dug pits 24 X 18 X 12,
8 lks.E.for ¼ sec.cor.,from which brs.a
Willow 12 in.dia. S.86° W. 100 lks.dist.
52.00 Dry bed of creek 150 lks. wide & ascend
64.00 Clamento Romeros house brs. W.about 2.50 chs.dist.
76.00 Summit of spur brs. NE.& S.W.
80.00 Set post 4 in.sq. 1 ft.in earth 1 ft.above stone mound 4½ ft.in di
at base by 2 ft.in height for cor.to secs.14,15,22,23.
Land mountainous,except in canada,soil 1st.& 2nd.rate.
Timber & undergrowth of oak,willow,sycamore,cottonwood & chemisal.

East on a random line bet.secs. 14 & 23
Va.14°25'E.
Descend.
2.25 Enter Canada San Francisco brs. NW.& SE.
House of Ygneria Orsaves brs. N.about 3.50 chs.dist.
3.10 Cross fence brs. NE.& SW.& enter was in Canada
4.50 Over same co. S.W.
6.50 Cross road brs. NE.& SW.
A house brs. S.about 2.00 chs. dist.
13.00 Leave Canada & ascend
30.50 Summit of ridge brs. NE.& SW. & descend
40.00 Set temp. ¼ sec.cor.
46.50 Cross gulch 50 lks.wide co. S.W.& ascend
62.50 Summit of spur brs. NE.& SW.
79.70 Int. N.& S.line 14 lks.S.of cor.to secs. 13,14,23,24
from which cor.I run
S 89°54' W.on a true line bet.secs. 14 & 23. Va.14°25'E.
39.85 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.in
dia.at base by 2 ft.in height for ¼ sec.cor.
79.70 The cor.to secs. 14,15,22,23
Land mountainous, soil 1st.rate.
Timber & undergrowth of oak,willow,sycamore & cottonwood.

North bet.secs.14 & 15. Va.14°25'E.
Along E.slope of mountain on W.side of Canada San Francisco
2.50 Enter canada brs. E.& W.
9.50 Leave same canada brs. NW.& SW. & ascend
40.00 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft. in dia.at base by 2 ft.in height for ¼ sec.cor.
60.00 Enter canada brs. E.& W.
60.50 Leave same brs. E.& W. & ascend
80.00 Set post 4 in.sq. 1 ft.in earth 1 ft.above stone mound 4½ ft.in dia.at base by 2 ft.in height for cor.to secs.10,11,14 & 15.
Land mountainous, soil 2nd.rate.
Timber & undergrowth of oak,willow,sycamore,cottonwood & chemisal.

Jan.8, 1880

East on a random line bet.secs. 11 & 14. Va.14°25'E.
Descend
20.00 Enter canada San Francisco at mouth of canon Chas.Roggins brs. S.about 30.00 chs. dist.
23.50 Cross wash 75 lks.wide course SW.,leave canada & ascend
40.00 Set temp.¼ sec.cor.
79.86 Int.N.& S.line 23 lks.N.of cor.to secs.11,12,13,14, from which cor.I run
N 89°50'W.on a true line bet.secs.11 & 14. Va.14°25'E.
39.94 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft. in dia.at base by 2 ft.in height for ¼ sec.cor.
79.86 The cor.to secs. 10,11,14,15
Land mountainous,soil 2nd.rate
Timber & undergrowth of oak & chamisal.

North bet.secs. 10 & 11. Va.14°25'E.
Descend
1.00 Cross short gulch 2 lks.wide co. NE.& ascend
23.50 Summit of spur brs. NW.& SE.& descend
40.00 Set stone 18 x 14 x 12 in stone mound 4 ft.in dia.at base by 2 ft.in height for ¼ sec.cor.
46.50 Cross gulch 10 lks.wide co. SE.& ascend.
80.00 Set post 4 in.sq. 1 ft.in earth 1 ft.above stone mound ⅝ 4½ ft.in dia.at base by 2ft.in height for cor.to secs.2,3,10 & 11. The ⊕ cor.is on summit of low ridge brg. NW.& SE.
Land mountainous, soil 2nd.rate.
Timber & undergrowth of oak & chamisal.

East on a random line bet.secs. 2 & 11. Va.14°25'E.
Descend.
23.70 Cross gulch 40 lks.wide co/SE.& continue descent
40.00 Set temp. ¼ sec.cor.
64.50 Enter canada San Francisco brs. NE.& SW.
65.00 Cross road brs. NE.& SW.
70.00 Cross wash in ~~xxxxx~~ canada
71.50 Leave Canada and ascend
79.90 Int.N. & S.line 33 lks. S.of cor.to secs. 1,2,11 & 12. from which cor.I run
S. 89°46'W.on a true line bet.secs. 2 & 11
Va.14°25'E.

39.95 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.in dia.at base by 2 ft.in height for ¼ sec.cor.
79.90 The cor.to secs. 2,3,10 & 11.
Land mountainous, soil 1st.& 2nd.rate
Timber & undergrowth of oak & chemisal
House in S.W.¼ on N.E.¼

North on a true line bet.secs. 2 & 3 Va.14°25'E.
2.50 Descend
21.65 Cross gulch 20 lks.wide co.SE.& ascend
40.00 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft. in dia.at base by 2 ft.in height for ¼ sec.cor.
48.50 Summit of spur brs. NW.& SE.
51.00 Descend
92.00 Cross near head of gulch 10 lks.wide co.SE. & ascend
103.74 Int. 1st.Std.line N 1.16 chs.W.of std.cor.to secs. 35 & 36,& set post 4 in.sq. 1 ft.in earth 1 ft.above stone mound 4 ft.in dia. at base by 2 ft.in height for closing cor.to secs. 2 & 3.
Land mountainous, soil 2nd.& 3rd.rate
Timber & undergrowth of oak & chemisal

North bet.secs. 33 & 34. Va,14°25'E.
Ascend
10.36 Int. N.B.of Rancho San Francisco at a point 68.20 chs.N,8½ chs. W.of cor.No.9 of final survey of said rancho as resurveyed by me, & set post 4 in.sq. 1 ft.in earth 1 ft.above earth mound 4½ ft.in dia.at base by 2 ft.in height & dug pits 24 x 18 x 12,8 lks.dist. at 4 angles for cor.to fracs.secs.33 & 34. This cor.is on summit of low ridge brs. NE.& SW. & descend.
17.50 Enter valley brs. NW.& SE.
21.00 Leave same & ascend
40.00 Set post 4 in.dia. 1 ft.in earth 1 ft.above earth mound 4 ft in dia.at base by 2 ft.in height & dug pit 24 x 18 x 12, 8 lks.E. for ¼ sec.cor.
72.50 Enter canada brs. SE.& NW.
77.50 Leave same & ascend
80.00 Set post 4 in.sq. 1 ft.in earth 1 ft.above earth mound 4½ ft.in dia.at base by 2 ft.in height & dug pits 24 x 18 x 12,8 lks.dist. at 4 angles for cor.to secs. 27,28,33 & 34.
Land mountainous, soil 1st.rate
Timber & undergrowth of oak & chemisal.

East on a random line bet.secs. 27 & 34. Va. 14°25'E.
Descend
27.00 Canada San Francisco brs. NW.& SE.
36.00 Cross fence brs. NE.& SW.
40.00 Set temp. ¼ sec.cor.
41.50 House brs. N.about 5.00 chs.dist.
41.70 Cross road from Newhall to Bakersfield brs. N.& S.
45.00 A corral brs. N.about 4.00 chs.dist.
50.50 Enter wash in canada brs. N. & S.
54.20 Leave same
54.40 Cross fence brs. N.& S.
72.00 Cross gulch 50 lks.wide co. SW.
77.50 Leave canada & ascend.

80.10 Int. N.& S.line at cor.to secs. 26,27,34,35
from which cor.I run
West on true line bet.secs. 27 & 34. Va 14°25'E.
40.05 Set post 4 in.dia. 1 ft in earth 1 ft.above earth mound 4 ft.
in dia.at base by 2 ft.in height & dug pit 24 x 18 x 12,
8 lks. N.for ¼ sec.cor.
80.10 The cor.to secs. 27,28,33 & 34.
Land mostly level, soil 1st.rate.
Timber & undergrowth of oak,willow,sycamore,cottonwood & chemisal.

Jan.10,1880.

North bet.secs. 27 & 28 Va 14°25'E.

Ascend
31.70 Cross gulch 5 lks.wide co. SE.& ascend
40.00 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.
in dia.at base by 2 ft.in height for ¼ sec.cor.
60.00 Cross gulch 50 lks.wide co. SW.& continue ascent
69.50 Summit of spur brs. NE.& SW.& descend
80.00 Set stone 10 x 6 x 5 in stone mound 4½ ft.in dia.at base by
2 ft.in height for cor.to secs. 21,22,27 & 28.
Land mountainous, soil 1st.rate.
Timber & undergrowth of oak & chemisal

East on a random line bet.secs. 22 & 27 Va 14°25'E.
Ascend
9.50 Top of ridge brs. N.& S. & descend
13.50 Cross gulch 50 lks.wide co. SW.& ascend
36.00 Summit of spur brs. SW.& NE.& descend
40.00 Set temp. ¼ sec.cor.
52.50 Enter Canada San Francisco brs. N.& S.
53.00 Cross wash 10 lks.wide co.S.
65.00 " road brs. N. & S.
71.50 Leave canada & ascend
79.86 Int. N.& S.line 12 lks.N.of cor.to secs.22,23,26,27
from which cor,I run
N. 89°55'W.on a true line bet.secs. 22 & 27.
Va.14°25'E.
39.93 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.
in dia.at base by 2 ft.in height for ¼ sec.cor.
79.86 The cor.to secs. 21,22,27,28.
Land mountainous except in valley,soil 1st.& 2nd.rate.
Timber & undergrowth of oak,sycamore,willow,cottonwood and
chemisal.

North bet.secs. 21 & 22. Va.14°25'E.
Ascend
22.00 Summit of spur brs. NW. & SE. & descend
40.00 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mount 4 ft.
in dia.at base by 2 ft.in height for 1.4 sec.cor.
43.00 Summit of spur brs. SW.& NE.
55.00 Descend
80.00 The point for cor.to secs.15,16,21 & 22 falling on steep side hill
a place not suitable to build mount,I set post 4 in.sq.1 ft.in ea
earth, 1 ft.above stone mount 4½ ft.in dia.at base by 2 ft.in height 4.5
chs.E.for witness post to said cor.
Land mountainous,soil 1st.& 2nd.rate.
Timber & undergrowth of oak & chemisal.

East on a random line bet.secs. 15 & 22. Va.14°25'E.
From true cor.
4.56 Witness post on top of spur brs. NE.& SW.& descend
40.00 Set temp.¼ sec.cor.at head of ravine cc.SW.& ascend.
45.00 Summit of spur brs. NE.& SW.& descend
80.00 Int. N.& S.line at cor.to secs.14,15,22 & 23.
from which cor.I run
West on a true line bet.secs. 15 & 22
Va.14°25'E.
40.00 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft. in dia.at base by 2 ft.in height for ¼ sec.cor.
80.00 The cor.to secs. 15,16,21,22
Land mountainous,soil 3rd.rate
Timber & undergrowth of oak & chemisal

North bet.secs.15 & 16. Va.14°25'E.
Ascend
18.50 Summit of spur brs. NE.& SW.& descend
40.00 Set stone 16 x 12 x 10 in stone mound 4 ft.in dia.at base by 2 ft.in height for ¼ sec.cor.
80.00 The point for cor.to secs. 9,10,15 & 16 falling on steep gulch,a place not suitable to build mound,I set post 4 in.sq. 1 ft.in earth 1 ft.above stone mound 4 ft.in dia.at base by 2 ft.in height 1.00 ch. N.for Witness post to said cor.
Land mountainous, soil 1st.rate.
Timber & undergrowth of oak & chemisal

East on a random line bet.secs. 10 & 15. Va.14°25'E.
From true cor.
.50 Cross gulch 20 lks.wide cc.SW.& ascend.
40.00 Set temp. ¼ sec.cor.
41.50 Summit of spur brs. NE.& SW. & descend
65.00 Head of canada
79.82 Int. N.& S.line 19 lks. S.of cor.to secs.10,11,14,15
from which cor.I run
S 89°52'W.on a true line bet.secs. 10 & 15.
Va.14°25'E.
39.91 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.in dia.at base by 2 ft.in height for ¼ sec.cor.
79.82 The cor.to secs. 9,10,15,16
Land mountainous, soil 1st.& 2nd.rate.
Timber & undergrowth of oak & chemisal.

Va.14°25'E.
North bet.secs.9 & 10.
1.00 Witness post,thence along E.slope of Mt.
35.75 Cross gulch 15 lks. wide cc.SE.& ascend
40.00 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft. in dia.at base by 2 ft.in height for ¼ sec.cor.
80.00 Set post 4 in.sq. 1 ft.in earth 1 ft.above stone mount,4½ ft. in dia.at base by 2 ft.in height for cor.to secs. 4,5,8,9
Land mountainous,soil 1st.& 2nd.rate.
Timber & undergrowth of oak & chemisal.
Jan.12,1880

9

East on a random line bet.secs. 3 & 10.

Va.14°25'E.

Ascend
34.50 Summit of spur brs. NW.& SE. & descend
40.00 Set temp. ¼ sec.cor.
79.75 Int. N.& S.line 28 lks.S.of cor.to secs. 2,3,10,11 from which cor.I run S.89°48'W.on atrue line bet.secs. 3 & 10

Va.14°25'E.

39.87 Set stone 24 x 16 x 10 in stone mound 4 ft.in dia.at base by 2 ft. in height for ¼ sec.cor.
79.75 The cor.to secs. 3,4,9,10.
Land mountainous, soil 2nd.rate.
Timber & undersgowth of oak & chemisal

North on true line bet.secs.3 & 4.

Va.14°25'E.

Ascend
40.00 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft. in dia.at base by 2 ft.in height for ¼ sec.cor.
78.00 A large boulder on line
104.00 Int. 1st.Std.line N.1.00 ch.W.of std.cor.to secs.34 & 35 of T.6N.,R. 16W.& set stone 20 x 16 x 14 in stone mound 4½ ft.in dia.at base by 2 ft.in height for closing cor.to secs. 3 & 4.
Land mountainous, soil 2nd.& 3rd.rate.
Timber & undergrowth of oak & chemisal.

North bet.secs.32 & 33

Va.14°25'E.

From true cor. Ascend
20.00 Summit of spur brs. NE.& SW. & descend
22.68 Int.E.B.of Rancho San Francisco & set post 4 in.sq. 1 ft. in earth 1 ft.above stone mound 4½ ft.in dia.at base by 2 ft. in height for cor.to frac.secs.32 & 33 from which cor. I run along N.B.of said Rancho as re-surveyed by me, S 81¼° E. 81.30 to cor.to frac. secs. 33 & 34.
40.00 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft. in dia.at base by 2 ft.in height for ¼ sec.cor.
80.00 Set stone 20 x 16 x 10 in stone mound 4½ ft.dia.at base by 2 ft.in height for cor.to secs. 28,29,32 & 33.
Land mountainous, soil 1st.rate.
Timber & undergrowth of oak & chemisal.

East on a random line bet.secs. 28 & 33

Va.14°25'E.

Ascend
23.00 Summit of spur brs. NE.& SW. & descend
40.00 Set temp. ¼ sec.cor.
59.50 Summit of spur brs. N.& SE.& descend
80.20 Int. N.& S.line 23 lks.N.of cor.to secs.27,28,33,34 from which cor.I run N 89°50'W.on a true line bet.secs. 28 & 33

Va.14°25'E.

40.10 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft. in dia.at base by 2 ft.in height for ¼ sec.cor.
80.20 The cor.to secs. 28,29,32 & 33.
Land mountainous,soil 1st.rate.
Timber & undergrowth of oak & chemisal.

Va.14°25'E.

North bet.secs. 28 & 29.

Ascend.

13.50 Summit of spur brs. NE.& SW. & descend
32.50 Cross gulch 50 lks.wide cc.S.& ascend.
40.00 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4ft.
in dia.at base by 2 ft.in height for ¼ sec.cor.
80.00 Set post 4 in.sq. 1 ft.in earth 1 ft.above stone mound 4½ ft.
in dia.at base by 2 ft.in height for cor.to secs. 20,21,28,29
Land mountainous, soil 1st.& 2nd.rate.
Timber & undergrowth of oak & chemisal.

Jan.13,1880.

East on a random line bet.secs. 21 & 28.

Va.14°25'E.

Descend.

14.50 Cross head of gulch 10 lks.wide cc.S.& ascend
40.00 Set temp.¼ sec.cor.on summit of spur brs. NE.& SW.
45.00 Descend
54.50 Enter gulch 12 lks.wide cc. SW.
77.00 Leave gulch at head.
80.00 Int.N.& S.line 10 lks.N.of cor.to secs.21,22,27,28.
from which cor.I run
N.89°56'W.on a true line bet.secs.21 and 28.

Va 14°25'E.

40.00 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.
in dia.at base by 2 ft.in height for ¼ sec.cor.
80.00 The cor.to secs. 20,21,28 & 29.
Land mountainous, soil 1st.rate.
Timber & undergrowth of oak & chemisal.

North bet.secs. 20 and 21

Va.14°25'E.

Ascend.

1.00 Summit of spur brs. SW.& NE.
11.50 " " " " E. & W. & descend.
40.00 Set post 4 in.dia. 1 ft.in earth 1 ft.above earth mound 4 ft.
in dia.at base by 2 ft.in height & dug pits 24 x 18 x 12,
8 lks.E.for ¼ sec.cor.
43.60 Cross gulch 25 lks.wide cc. SW.
55.30 Cross gulch 25 lks.wide cc. SW.
80.00 Set post 4 in.sq.at foot of large rock 6 x 4 x 5 ft.marked rock
X for cor.to secs. 16,17,20, 21.
Land mountainous, soil 1st.& 2nd.rate.
Timber & undergrowth of oak & chemisal

East on a random line bet.secs. 16 & 21.

Va.14°25'E.

Ascending mountains.

40.00 Set temp. ¼ sec.cor.
46.50 Cross gulch 20 lks.wide cc.SW.& continue ascent
79.78 Int. N.& S.line 18 lks.S.of cor.to secs. 15,16,21,22
from which cor.I run
S.89°52'W.on a true line bet.secs. 16 & 21.

Va.14°25'E.

39.89 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.
in dia.at base by 2 ft.in height for ¼ sec.cor.
79.78 Thecor.to secs. 16,17,20 & 21.
Land mountainous, soil 1st.& 2nd.rate.
Timber & undergrowth of oak & chemisal.

North bet.secs.16 and 17. Va.14°25'E.

Ascend
40.00 Set post 4 in.dia. 1 ft.in arth 1 ft.above stone mound 4 ft.
in dia.at base by 2 ft.in height for ¼ sec.cor.
52.50 Top of spur brs. SW.& NE.
57.00 Descend
80.00 Set post 4 in.sq. 1 ft.in earth 1 ft.above stone mound 4½ ft,in
dia.at base by 2ft.in height for cor.to secs. 8,9,16,17.
Land mountainous,soil 2nd.rate.
Timber & undergrowth of oak & chemisal.

East on a random line bet.secs. 9 & 16 Va. 14°25'E.

Ascend
18.75 Top of ridge brs. NE.& SW.& descend
40.00 Set temp. ¼ sec.cor.
80.00 Int. N.& S.line 10 lks. N.of cor.to secs. 9,10,16,17;
from which cor.I run
N.89°56'W.on a true line bet.secs. 9 & 16. Va.14°25'E.

40.00 Set stone 20 x 16 x 12 in stone mound 4 ft.in dia.at base by
2 ft.in height for ¼ sec.cor.
80.00 The cor.to secs. 8,9,16,17.
Land mountainous, soil 3rd.rate.
Timber & undergrowth of oak & chemisal.

North bet.secs. 8 & 9. Va.14°25'E.

Descend.
23.50 Cross gulch 10 lks.wide co.SW.& ascend.
40.00 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.
in dia.at base by 2 ft.in height for cor.to secs.4,5,8,9
Land mountainous,soil 2nd.& 3rd.rate.
Timber & undergrowth of oak & chemisal.
Jan.14,1880.

See Pg. 12A for Correction of error

Note: The error in the ¼ &sec.cor.is in the records,the
line bet.secs. 8 & 9,by the plat,being 80 chs.long.
Evidently a mistake in copying from the original notes.

East on a random line bet.secs. 4 & 9. Va.14°25'E.

Asecnd.
40.00 Set temp. ¼ sec.cor.
41.50 Summit of spur brs.NE.& SW.
49.00 " " " " NW.& SE.& descend.
61.70 Cross gulch 50 lks.wide cc.SE.& ascend
80.10 Int. N.& S.line 23 lks. S.of cor.to secs. 3,4,8 & 9
from which cor.I run.
S. 89°50'W.on a true line bet.secs' 4 & 9. Va.14°25'E.

40.05 Set stone 16 x 12 x 10 in stone mound 4 ft.in dia.at base by
2 ft.in height for ¼ sec.cor.
80.10 The cor.to secs. 4,5,8,9
Land mountainous, soil 2nd.& 3rd.rate.
Timber and undergrowth of oak & chemisal.

North between Section 8 and 9
Var. 14° 25' East

Descend

1551 23.50 Cross Gulch 10 links wide course S. W.
1089 and ascend.
2640 40.00 Set post 4 in. dia 1 foot in earth, 1 foot
above Stone mound 4 feet in diameter at
825' base by 2 feet in height for 1/4 Sec. cor.
3465 52.50 Summit of Ridge, bears N.E. and S.W.
1062.6 and descend.
4527.6 68.60 Cross Gulch near its head, 10 links wide,
752.4 Course S.W. and ascend.
5280 80.00 Set post 4 in. square 1 foot in earth, 1
foot above Stone mound, 4 1/2 feet in
diameter at base by 2 feet in height,
for corner to sections 4-5-8-9.
Land Mountainous Soil 2d & 3d rate
Timber and undergrowth of oak & chemisal

Jan. 14th, 1880.

Copied from Washington D. C. Field Notes
Vol. 166, Page 306.

10560

North on a true line bet.secs. 4 & 5.

Va.14°25'E.

1320 20.00 > 1320
2640 40.00 > 330
2970 45.00
104.65 > 3932.90
6906.90

Ascend.
Summit of high spur brs. NE.& SW.& descend.
The point for ¼ sec.cor.falling in deep gulch,a place not suitable to build mound, I continue N.& at
I set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft. in dia.at base by 2 ft.in height for witness post to ¼ sec.cor.
Int.1st.Std.line N.at a point 7.00 chs. E.of witness post marked for std.cor.to secs.33 & 34 and 75 lks. W.of true std.cor. to said secs.,this point falling on steep side hill,a place not suitable to build mound,I mark witness post 7.00 chs. W.for witness to closing cor.to secs. 4 & 5.
Land mountainous, soil 3rd.rate.
Timber & undergrowth of oak & chemisal.

North bet.secs. 31 & 32.

Va.14°25'E.

39.40 Int.N.B.of Rancho San Francisco & set post 4 in.sq. 1 ft.in earth 1 ft.above stone mound 4½ ft.in dia.at base by 2 ft.in height for cor.to frac.secs.31 & 32,from which I run along N.B. of said rancho as resurveyed by me, S.81¼°E. 81.16 chs.to cor. to frac.secs. 32 & 33.
40.00 Set stone 20 x 16 x 12 in stone mound 4 ft.in dia.at base by 2 ft.in height for ¼ sec.cor.
55.00 Summit of spur brs. NE.& SW.& descend.
74.50 A canada brs. NE.& SW.
80.00 Set post 4 in'sq. 1 ft.in earth 1 ft.above stone mound 4½ ft.in dia.at base by 2ft.in height for cor.to secs. 29,30,31,32.
Land mountainous, soil 1st. rate.
Timber & undergrowth of oak & chemisal.

East on a random line bet.secs. 29 & 32.

Va.14°25'E.

Ascend.
19.50 A canada brs. NE.& SW.& continue ascent
40.00 Set temp. ¼ sec.cor.
51.50 Summit of ridge brs. NE.& SW.& descend
80.12 Int.N.& S.line 14 lks. N.of cor.to secs. 28,29,32 & 33 from which cor.I run
N.89°54'W.on a true line bet.secs. 29 & 32.

Va.14°25'E.

40.06 Set post 4 in.dia. 1 ft.in earth 1 ft.above earth mound 4 ft. in dia.at base by 2 ft.in height & dug pits 24 x 18 x 12, 8 lks.for ¼ sec.cor.
80.12 The cor.to secs. 29,30,31 & 32
Land mountainous,soil 1st.rate.
Timber & undergrowth of oak & chemisal.

West on a random line bet.secs. 30 & 31.

Va.14°25'E.

Descend.

4.00 Enter gulch 30 lks.wide co. SW.
11.50 Leave gulch & ascend
40.00 Set temp. ¼ sec.cor.
46.00 Summit of spur brs. NE.& SW. & descend.
75.00 Valley of Castaque brs. NE.& SW.
79.68 Int. W.B.of Tp. 61 lks.N.of cor.to secs. 30 & 31,from which cor.I run
N 89°34'E.on a true line bet.secs. 30 & 31.

Va.14°25'E.

39.68 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft. in dia.at base by 2 ft.in height for ¼ sec.cor.
79.68 The cor.to secs. 29,30,31 & 32.
Land mountainous,soil 1st.& 2nd.rate.
Timber & undergrowth of oak & chemisal.

North bet.secs. 29 & 30.

Va.14°25'E.

Descend.

1.50 Cross gulch 50 lks.wide co.W.
3.50 A Canada brs. NE.& SW.& ascend
28.50 Summit of ridge brs. NE.& SW.& descend.
40.00 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft. in dia. at base by 2 ft.in height for ¼ sec.cor.
63.50 Enter valley brs. NE.& SW.
72.25 Cross wash 50 lks.wide co.SW.
78.50 Leave valley brs. NE.& SW. & ascend
80.00 Set post 4 in.sq. 1 ft.in earth 1 ft.above stone mound 4½ ft.in dia.at base by 2 ft.in height for cor.to secs.19,20,29,30.
A corral brs. SE.about 5 chs. dist.
Land mountainous except in valley, soil 1st.rate.
Timber & undergrowth of oak,cottonwood,willow,sycamore & chemisal.

East on a random line bet.secs. 20 & 29.

Va.14°25'E.

Descend.

9.50 A canada brs. SW.& NE.
10.70 Cross wash 100 lks.wide co.SW.
18.00 Leave Canada brs. NE.& SW.& ascend
39.50 Cross gulch 15 lks.wide
40.00 Set temp. ¼ sec.cor.
63.50 Cross head of gulch 10 lks. wide co.SW.& ascend.
78.50 Summit of spur brs. NE.& SW.
79.92 Int. N.& S.line 18 lks.S.of cor.to secs. 20,21,28,29 from which cor.I run
S. 89°52'W.on a true line bet.secs. 20 & 29.

Va.14°25'E.

39.96 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft. in dia.at base by 2 ft.in height for ¼ sec.cor.,
from which brs. a
Sycamore 10 in.dia. S 16°E.18 lks.dist.
79.92 The cor.to secs. 19,20,29,30
Land mountainous,except in valley,1st.rate soil.
Timber & undergrowth of oak willow,sycamore & chemisal.

Jan.15,1880.

West on a random line bet.secs. 19 & 30.
Va.14°25'E.

Descend.
7.50 Cross gulch 20 lks.wide co.S.& ascend
40.00 Set temp. ¼ sec.cor.
42.50 High tableland & over same.
79.88 Int. W.B.of Tp. 10 lks.N.of cor.to secs. 19 & 30
from which cor.I run
N.89°56'E.on a true line bet.secs. 19 & 30.
Va.14°25'E.
39.88 Set post 4 in.dia. 1 ft.in earth 1 ft.above earth mound 4 ft.in dia.at base by 2 ft.in height & dug pit 24 x 18 x 12,8lks.N.for ¼ sec.cor.
79.88 The cor.to secs. 19,20,29 & 30.
Land mountainous, soil 1st.rate.
Timber & undergrowth of oak & chemisal.

North bet.seds.19 & 20. Va.14°25'E.
Descend.
13.00 Enter Canada brs. NE.& SW.
23.60 Cross gulch 15 lks.wide co.SW. Leave canada
40.00 Set post 4 in.dia. 1 ft.in earth 1 ft.above earth mound 4 ft. in dia.at base by 2ft.in height & dug pits 24 x 18 x 12, 8 lks.E.for ½ sec.cor.
47.80 Cross near head of gulch co.S.E.& ascend
80.00 Set post 4 in.sq. 1 ft.in earth 1 ft.above stone mound 4½ ft.in dia at base by 2 ft.in height for cor.to secs.17,18,19 & 20.
Land mountainous,except in valley,soil 1st.& 2nd.rate.
Timber & undergrowth of oak,sycamore & chemisal. + willow

East on a random line bet.secs. 17 & 20.
Va.14°25'E.

Descend
32.00 Cross near head of gulch co.SW.& ascend.
40.00 Set temp. ¼ sec.cor.
40.63 Summit of spur brs. NE.& SW.& descend
50.50 Cross deep gulch 25 lks.wide co.S.& ascend
69.27 Top of spur brs. NE.& SW.& descend
77.50 Cross ravine 15 lks.wide co.S.& ascend
79.88 Int. N.& S.line 10 lks.S.of cor.to secs.16,17,20,21
from which cor.I run
S. 89°56'W.on a true line bet.secs.17 & 20.
Va.14°25'E.
39.94 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft. in dia.at base by 2 ft.in height for ¼ sec.cor.
79.88 The cor.to secs. 17,18,19 & 20.
Land mountainous,soil 1st.rate.
Timber & undergrowth of oak & chemisal.

West on a random line bet.secs. 18 & 19.
Va.14°25'E.

Ascend
15.60 Top of ridge brs. NE.& SW.& descend
40.00 Set temp.¼ sec.cor.
61.50 Enter valley of Castaque brs. NE.& SW.
63.00 Cross road brs. N.& S.
79.52 Int. W.B.of Tp. 50 lks.S.of cor.to secs.18 & 19
from which cor.I run

S.89°39'E.on a true line bet.secs. 18 & 19.
Va.14°25'E.

39.52 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft. in dia.at base by 2 ft.in height for ¼ sec.cor.
79.52 The cor.to secs. 17,18,19,20.
Land mostly mountainous, soil 1st.& 2nd.rate.
Timber & undergrowth of oak & chemisal.

North bet.secs.17 & 18.
Va.14°25'E.

Ascend.
31.50 Summit of spur brs. NE.& SW.& descend.
40.00 Set post 4in.dia. 1 ft.in earth 1 ft'above earth mound 4 ft. in dia.at base by 2 ft.in height & dug pit 24 x 18 x 12, 8 lks.E.for ¼ sec.cor.
80.00 Set post 4 in.sq. 1 ft.in earth 1 ft.above stone mound 4½ ft.in dia.at base by 2 ft.in height for cor.to secs.7,8,17 & 16.
Land mountainous, soil 1st,rate.
Timber & undergrowth of oak & chemisal.

East on a random line bet.secs. 8 & 17.
Va.14°25'E.

Ascend.
1980 31.00 Summit of spur brs. N.E.& SW.& descend.
2640 40.00 Set temp. ¼ sec.cor.
4108.50 62.25 Cross gulch co.SW.& ascend.
5277.74 79.89 Int. N.& S.line 16 lks.S.of cor.to secs. 8,9,16,17, from which cor.I run
S.89°53'W.on a true line bet.secs. 8 & 17.
Va.14°25'E.
2634.72 39.92 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft. in dia.at base by 2 ft.in height for ¼ sec.cor.
5269.44 79.84 The cor.to secs. 7,8,17,18.
Land mountainous, soil 1st.& 2nd.rate.
Timber & undergrowth of oak & chemisal.
Jan.16,1880.

West on a random line bet.secs. 7 & 18.
Va.14°25'E.

Descend.
26.50 Enter valley of Canada La Laguna brs. N.& W.
37.00 Cross creek 50 lks.wide co.SW.
40.00 Set temp.¼ sec.cor.
50.80 Cross fence brs. N.E.& SW.
54.50 Leave valley & ascend.
66.50 Top of ridge brs. N.& S.& descend
73.00 A valley,cross wash in same,100 lks.wide co.SE.
A house brs. SE.about 12.chs.dist.
79.81 Int. W.B.of Tp. 37 lks.S.of cor.to secs. 7 & 18, from which cor.I run
S. 89°44'E.on a true line bet.secs.7 & 18.
Va.14°25'E.
39.81 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft. in dia.at base by 2 ft.in height for ¼ sec.cor.
79.81 The cor.to secs. 7,8,17,18
Land mountainous,except in valley,soil 1st.rate.
Timber & undergrowth of oak,willow,cottonwood & chemisal.

North bet.secs.7 & 8.

Va.14°25'E.

Ascend,
37.00 Top of perpendicular bluff 100 ft.high.
39.10 A Canada brs. NE.& SW.& cross wash 50 lks.wide co.S.W.
40.00 Set a post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft. in dia.at base by 2ft.in height for ¼ sec.cor.
46.00 Cross creek 50 lks.wide co.SW. Leave canada & ascend.
48.00 Cross fence brs. NW.& SE.
49.00 A house brs. E.about 5.00 chs.dist.
54.00 Top of spur brs. NW.& SE.& descend
56.00 Enter valley brs. W. & NE.
79.50 Leave valley brs. E.& W.& ascend
80.00 Set post 4 in.sq. 1 ft.in earth 1 ft.above stone mound 4½ ft. in dia.at base by 2ft.in height for cor.to secs.5,6,7,8.
Land mountainous except in valley,soil 1st.& 2nd.rate.
Timber & undergrowth of oak,willow,sycamore,cottonwood &chemisal.

East on a random line bet.secs. 5 & 8.

Va.14°25'E.

Along S.slope of hill
14.50 A steep bluff 50 ft.high brs. N.& S.& descend,entering canada La Laguna brs. N.& S.
18.00 Cross fence brs. NE.& SW.
20.00 Cross creek 50 lks.wide co.S.W.
23.00 Leave canada brs. NE.& SW.& descend
32.50 Top of spur brs. NE.& SW.& descend
40.00 Set temp. ¼ sec.cor.& ascend
51.50 Top of spur brs. NE.& SW.& descend
80.12 Int.N.& S.line 61 lks.S.of cor.to secs. 4,5,8,9
from which cor.I run
S.89°34'W.on a true line bet.secs.5 & 8.

Va.14°25'E.

40.06 The point for ¼ sec.cor.falling on steep side hill,a place not suitable to build mound,I set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.in dia.at base by 2 ft.in height 7.90 chs.W.for witness post to ¼ sec.cor.
80.12 The cor.to secs.5,6,7,8
Land mountainous, soil 2nd.rate.
Timber & undergrowth of oak & chemisal.

West on a random line bet.secs. 6 & 7.
Ascend.

Va.14°25'E.

20.00 Head of valley brs.S. 18 chs.dist.
33.00 Summit of spur brs. NE.& SW.
39.00 Descend
40.00 Set temp. ¼ sec.cor.
79.73 Int.W.B.of Tp. 15 lks.S.of cor.to secs.6 & 7,
from which cor.I run
S.89°54'E.on a true line bet.secs. 6 & 7

Va.14°25'E.

39.73 Set stone 20 x 16 x 10 in stone mound 4 ft.in dia.at base by 2 ft.in height for ¼ sec.cor.
79.73 The cor.to secs. 5,6,7,8
Land mountainous, soil 1st.rate.
Timber & undergrowth of oak & chemisal.

North on a true line bet.secs. 5 & 6.

Va.14°25'E.

40.00 Descend,

92.00 Set stone 24 x 16 x 12 in stone mound 4 ft.in dia.at base by 2 ft.in height for ¼ sec.cor.

104.80 Cross gulch 50 lks.wide co. SE.& ascend.

Int.1st.Std.line N. 60 lks.W.of std.cor.to secs. 32 & 33,of T.6N, R.16W.& set stone 18 x 12 x 10 in stone mound 4½ ft.in dia.at base by 2 ft.in height for closing cor.to secs. 5 & 6.

Land mountainous, soil 2nd.& 3rd.rate.

Timber & undergrowth of oak & chemisal

Vol. 164-4

Jan.17,1880

C.B.J.

W.H.Norway.