
Copied from Photographic Copies
furnished by
United States General Land Office
Washington D.C.



Subdivision lines, T 8 N., R. 8 W., San Bernardino Meridian.

Subdivision commenced 1856

From the corner to Sections 1, 2, 35 & 36 on the South boundary of the Township I run

North between Sections 35 & 36. April 13th. 1856. Va. 14°08' E

40.00 Set a charred post for a qr. Sec. corner, and raised a mound with trench as per instructions.

80.00 Set a charred post for corner to Sections 25, 26, 35 & 36 and raised a mound with trench as per instructions.

Land level. Sandy soil. Second rate with scrub and weeds.

East on a random line between Sections 25 & 36. Va. 14°06' E.

40.00 Set a post for temporary qr. Sec. Cor.

79.96 Intersect East boundary of the Township 15 lks. North of Cor. to Secs. 25 & 36, from which corner I run

West On a true line between Sections 25 & 36. Va. 14°02' E

39.98 Set a charred post for qr. Sec. Cor. and raised a mound with trench as per instructions.

79.96 The corner to Secs. 25, 26, 35 & 36. Land rolling. Second rate with growth of scrubs and grass.

North between Sections 25 & 26. Va. 14°08' E.

40.00 Set a charred post for qr. Sec. corner and raised a mound with trench as per instructed

60.00 Enter rolling hills bearing E. & W.

80.00 Set a charred post for corner to Sections 23, 24, 25 & 26 and raised a mound with trench as per instructions.

Land rolling. Sandy Soil, third rate with scrub and grass.

East on a random line between Sections 24 & 25. Va. 14°08' E.

15.00 To base of abrupt hill and ascend.

20.00 To summit and descend

40.00 Set a post for temporary qr. Sec. corner

45.00 To opposite base of abrupt hill bears N.W. & S.E.

80.19 Intersect East boundary 14 lks. S. of Cor. to Secs. 24 & 25., from which corner I run

West on a true line between Sections 24 & 25. Va. 14°14' E.

40.09 Set charred post for qr. Sec. corner, and raised a mound with trench as per instructions.

80.19 The corner to Sections 23, 24, 25 & 26.
Land rolling, third rate with growth of scrub.

Township 8 N.,R.8 W.San Bernardino Meridian.

North between Sections 23 & 24 over rolling hills. Va.14°08'E.

40.00 Set a charred post for qr.Sec.corner,and raised a mound with trench as per instructions.

80.00 Set a charred post for corner to Sections 13,14,23 & 24 and raised a stone mound with trench as per instructions.

Land rolling hills,third rate with scrub.

East On a random line between Sections 13 & 24. April 14,1856.

Va.14°08'E.

40.00 Set a post for temporary qr.Sec.corner

79.88 Intersect East boundary of the Township 21 lks.South of corner to Secs. 13 & 24 from which corner I run

West on a true line between Sections 13 & 24 Va.14°17'E

39.94 Set a charred post for qr.Sec.cor.and raised a stone mound with trench as per instructions.

79.88 The corner to Sections 13,14,& 23 & 24.

Land uneven hills,third rate with scrub.

North between Sections 13 & 14. Va.14°08'E.

10.50 Leave hills bearing N.W.,but continues rolling

40.00 Set a charred post for qr.Sec.corner and raised a mound with trench as per instructions.

80.00 Set a charred post for corner to Sections 11,12,13 & 14 and raised a mound with trench as per instructions.

Land rolling,second rate with growth of scrub and grass.

East on a random line between Sections 12 & 13. Va.14°08'E.

40.00 Set a post for temporary qr.Sec.Corner

62.00 To base of low stony hill,bears N.W.& S.E.

79.76 Intersect the east boundary of the township 27 lks.south of corner, to sections 12 & 13 from which corner I run

West on a true line between Sections 12 & 13. Va.14°20'E

39.88 Set charred post for qr.Sec.corner and raised a mound with trench as per instructions.

79.76 The corner to Sections 11,12,13 & 14

Land rolling third rate with scrub and grass.

North between Sections 11 & 12. Va.14°08'E'

14.00 To base of low broken hills and ascend,bears E.& W.

Township 8 N.R.8 W.San Bernardino Meridian.

40.00 Set a charred post for qr.Section corner and raised a mound with trench as per instructions.

80.00 Set a charred post for cor.to Secs. 1,2,11 & 12,and raised a mound with trench as per instructions.

Land uneven surface third rate with scrub and grass.

East on a random line between Sections 1 & 12. Va.14°08'E.

40.00 Leave hills and set a post for temporary qr. Sec.Cor.

80.00 Intersect East boundary,33 lks.south of corner to Sections 1 & 12 from which corner I run

West on a true line between Sections 1 & 12. Va.14°22'E.

40.00 Set a charred post for qr.Sec.corner,and raised a mound with trench as per instructions.

80.00 The corner to Sections 1,2,11 & 12. Land hilly third rate with scrub.

North on a random line between Sections 1 & 2. Va.14°08'E.

40.00 Set a post for temporary qr.Sec.corner

80.47 Intersect North Boundary of the Township 22 lks.east of corner to Sections 1 & 2 from which corner I run

South on a true line between Sections 1 & 2. Va.14°17'E

40.47 Set a charred post for qr.Sec.corner,and raised a mound with trench as per instruction.

80.47 The corner to Sections 1,2,11 & 12.
Land rolling. Sandy third rate. Scrub and some grass

April 14,1856.

North between Sections 34 & 35. Val.14°08'E.

40.00 Set a charred post for qr.Sec.corner and raised a mound with trench as per instructions.

80.00 Set a charred post for center to Sections 27,26,34 & 35 and raised a mound with trench as per instructions.

Land rolling,third rate with growth of scrub.

East on a random line between Sections 26 & 35. Va.14°08'E.

40.00 Set a post for temporary qr.Sec.corner

80.12 Intersect N.& S.line 20 lks.North of corner to Sections 25,26,35 & 36,from which corner I run

West on a true line between Sections 26 & 35. Va.13°59'E.

40.06 Set a charred post for qr.Sec.corner and raised a mound with trench as per instructions.

80.12 The corner to Sections 26,27,34 & 35.
Land rolling,third rate with growth of scrub.

Township 8 N,R.8 W.San Bernardino Meridian.

North between Sections 26 & 27 Va.14°08'E

40.00 Set a charred post for qr.Sec.corner and raised a mound with trench as per instructions.

53.00 To low broken hills,bears E.& W.

80.00 Set a charred post for corner to Sections 22,23,26 & 27 and raised a mound of stone as per instructions.
Land hilly,third rate,with scrub.

East on a random line between Sections 23 & 26. Va.14°08'E

40.00 Set a post for temporary qr.Sec.corner

80.05 Intersect N.& S.line 10 lks.North of corner to Secs. 23,24,25 & 26 from which corner I run

West on a true line between Sections 23 & 26. Va.14°04'E.

40.02½ Set a charred post for qr.Sec.corner,and raised a mound with trench as per instructions.

80.05 The corner to Sections 22,23,26 & 27.
Land hilly and stony surface.

North between Sections 22 & 23. Va.14°08'E

30.00 Leave low broken hills.

40.00 Set a charred post for qr.Sec.corner,and raise a mound with trench as per instructions.

80.00 Set a charred post for corner to Sections 14,15,22 & 23,and raised a mound with trench as per instructions.
Land rolling. Sandy third rate with scrub.

East on a random line between Sections 14 & 23. Va.14°08'E.

40.00 Set a post for temporary qr.Sec.cor.

65.00 To base of rolling hills.

80.10 Intersect N.& S.line 16 lks.North of corner to Sections 13,14,23 & 24,from which corner I run

West on a true line between Sections 14 & 23. Va.14°01'E.

40.05 Set a charred post for qr.Sec.corner and raised a mound with trench as per instructions.

80.10 The corner to Sections 14,15,22 & 23. Land rolling,hills,sandy third rate.

North between Sections 14 & 15. Va.14°08'E. April 15,1856.

40.00 Set a charred post for qr.Sec.corner,and raised a mound with trench as per instructions.

80.00 Set a charred post for corner to Sections 10,11, 14 & 15 and raised a mound with trench as per instructions.
Land rolling,third rate with growth of scrub.

Township 8 N.,R.8 W.San Bernardino Meridian.

East — on a random line between Sections 11 & 14. Va.14°08'E

40.00 Set a charred post for temporary qr.Sec.corner

80.18 Intersect N.& S.line 12 lks.N.of corner to Sections 11,12,13 & 14, from which coner I run

West — on a true line between Sections 11 & 14. Va.14°03'E

40.09 Set a charred post for qr.Sec.corner,and raised a mound with trench as per instructions.

80.18 The corner to Sections 10,11,14 & 15.
Land rolling,third rate with scrub.

North — between Sections 10 & 11 Va.14°08'E.

40.00 Set a charred post for qr.Sec.Corner and raised a mound with trench as per instructions.

80.00 Set a charred post for corner to Sections 2,3,10 & 11 and raised a mound with trench as per instructions.

Land rolling sandy soil with scrub and grass.

East — on a random line between Sections 2 & 11. Va.14°08'E.

40.00 Set a post for temporary qr.Sec.corner

80.22 Intersect N.& S.line 8 lks.south of corner to Secs.1,2,11 & 12, from which corner I run

West — on a true line between Sections 2 & 11 Va.14°11'E'

40.11 Set a charred post for qr.Sec.cor.and raised a mound with trench as per instructions.

80.22 The corner to Sections 2,3,10 & 11.
Land rolling,third rate with scrub.

North — on a random line between Sections 2 & 3 Va.14°08'E

40.00 Set a post for temporary qr.Sec.corner

80.70 Intersect North boundary 11 lks.East of corner to Sections 2 & 3, from which corner I run

South — on a true line between Sections 2 & 3 Va.14°13'E.

40.70 Set a charred post for qr.Sec.corner and raised mound with trench as per instructions.

80.70 The corner to Sections 2,3,10 & 11. Land rolling,sandy soil with scrub and weeds.

North — between Sections 33 & 34 easy ascent Va.14°08'E

40.00 Set a charred post for qr.Sec.corner and raised mound with trench as per instructions.

80.00 Set a charred post for qr.Sec.corner,to Secs.27,28,33 & 34,and raised a mound with trench as per instructions.
Land rolling,sandy soil with growth of greasewood.

T.8 R.8 W,San Bernardine Meridian.

East on a random line between Sections 27 & 34. Var.14°08'E.

40.00 Set a post for temporary qr.Sec.corner

80.46 Intersect N.& S.line 34 lks.North of corner to Secs. 26,27,34 & 35, from which corner I run

West on a true line between Sections 27 & 34. Var.13°53'E.

40.23 Set a charred post for qr.Sec.corner and raised mound with trench as per instructions.

80.46 The corner to Sections 27,28,33 & 34. Land rolling,sandy soil, with growth of scrub.

North between Sections 27 & 28, easy ascent Var.14°08'E.

40.00 Set a charred post for qr.Sec.corner andraised a mound with trench as perinstructions.

80.00 Set a charred post for corner to Sections 21,22,27 & 28 and raised a mound with trench as per instructions.

Land rolling. Sandy soil with growth of scrub and grass.

East on a random line between Sections 22 & 27. Var.14°08'E.

40.00 Set a post for temporary qr.Sec.corner.

80.18 Intersect N.& S.line 10 lks.N.of cor.to Secs. 22,23,26 & 27. from which corner I run

West on a true line between Sections 22 & 27. Var.14°04'E.

40.09 Set a charred post for qr.Sec.corner,and raised a mound with trench as per instructions.

80.18 The corner to Sections 21,22,27 & 28. Land rolling,third rate with grass and scrub.

North between Sections 21 & 22. Var.14°08'E.

40.00 Set a charred post for qr.Sec.corner,and raised a mound with trench as per instructions.

80.00 Set a charred post for cor.to Secs.15,16,21 &22 and raised a mound with trench as per instructions.

Land rolling. Sandy soil with scrub and grass.

East on a random line between Sections 15 & 22. Va.14°08'E.

40.00 Set a post for temporary qr.Sec.corner

80.27 Intersect N.& S.line 48 lks.North at cor.to Secs.14,15,22 & 23 from which corner I run Var.13°48'E.

West on a true line between Sections 15 & 22.

40.13½ Set a charred post for qr.Sec.corner,and raised a mound with trench as per instructions.

80.27 The corner to Sections 15,16,21 & 22.Land rolling hills sandy soil with grass and sage.

T.8 N.,R.8 W.San Bernardino Meridian.

North between Sections 15 & 16. Var.14°08'E

40.00 Set a charred post for qr.Sec.corner and raised a mound with trench as per instructions.

80.00 Set a charred post for corner to Sections 9,10,15 & 16.and raised a mound with trench as per instructions.

Land rolling.Sandy soi;with scrub and grass.

East on a randon line between Sections 10 & 15. April 16" 1856.
Var.14°08'E.

40.00 Set a post for temporary qr.Sec.corner.

80.00 Intersect N.& S.line 38 chs.N.of cor.to Secs. 10,11,14 & 15,from which corner I run

West on a true line between Sections 10 & 15. Va.13°52'E.

40.00 Set a charred post for qr.Sec.corner and raised a mound with trench as per instructions.

80.00 Set a charred post for corner to Sections 9,10,15 & 16 and raised a mound with trench as per instructions.

Land rolling.Sandy soil with sage brush and grass.

North on a random line between Sections 9 & 10. Var.14°08'E.

40.00 Set a charred post for qr.Sec.corner,and raised a mound with trench as per instructions.

80.00 Set a charred post for corner to Sections 3,4,9 & 10 and raised a mound with trench as per instructions.

Land rolling. Sandy soil third rate with sage and scrub

East on a random line between Sectipns 3 & 10. Var.14°08'E.

40.00 Set a post for temporary qr.Sec.corner

79.96 Intersect N.& S.lines 39 lks.north of corner to Secs. 2,3,10 & 11, from which corner I run

West on a true line between Sections 3 & 10. Var.13°51'E.

39.98 Set a charred post for qr.Sec.corner and raised a mound with trench as per instructions.

79.96 The corner to Sections 3,4,9 & 10.

Land rolling,Sandy,third rate with scrub and grass.

North on a random line between Sections 3 & 4. Var.14°08'E.

40.00 Set a post for temporary qr.Sec.corner

80.96 Intersect the North boundary of the Township 28 lks.west of corner to Sections 3 & 4 from which corner I run

South on a true line between Sections 3 & 4. Var.13°56'E.

40.96 Set a charred post for qr.Sec.corner,and raised a mound with trench as per instructions.

80.96 To corner to Sect ions 3,4,9 & 10. Land rolling,sandy soil,with scrub and grass.

T.8 N.,R.8 W.San Bernardino Meridian.

North between Sections 32 & 33. Va.14°08'E. 1856.

40.00 Set a charred post for qr.Sec.corner,and raised a mound with trench as per instructions.

80.00 Set a charred post for corner to Sections 28,29,32 & 33 and raised a mound with trench as per instructions.

Land rolling ,sandy soil with growth of weeds and scrub.

East on a random line between Sections 28 & 33. Var.14°08'E.

40.00 Set a post for temporary qr.Sec.corner

79.78 Intersect N.& S.line 39 lks.North of corner to Secs. 27,28,33 & 34 from which corner I run

West on a true line between Sections 28 & 33. Var.13°51'E.

39.89 Set a charred post for qr.Sec.corner and raised a mound with trench as per instructions.

79.78 The corner to Sections 28,29,32 & 33. Land rolling.Second rate with scrub,weeds and grass.

North between Sections 28 & 29. Var.14°08'E

40.00 Set a post for qr.Sec.cor.(charred) and raised a mound with trench as per instructions.

80.00 Set a charred post for corner to Sections 20,21,28 & 29,and raised a mound with trench as per instructions.

Land rolling.Second rate with scrub,weeds and grass.

East on a random line bwteen Sections 21 & 28. Var.14°08'E.

40.00 Set a post for temporary qr.Sec.corner.

79.82 Intersect N.& S.line 44 lks.North of corner to Sections 21,22,27 & 28, from which corner I run

West on a true line between Sections 21 & 28. Var.13°49'E.

39.91 Set a charred post for qr.Sec.corner and raised a mound with trench as per instructions.

79.82 The corner to Sections 20,21,28 & 29. Land rolling.Sandy soil with scrub and weeds.

North between Sections 20 & 21 Var.14°08'E

40.00 Set a charred post for qr.Sec.cor.and raised a mound with trench as per instructions.

80.00 Set a charred post for a corner to Secs.16,17,20 & 21 and raised a mound with trench as per instructions.

Land rolling.Sandy soil with scrub and weeds.

T.8 N. R.8 W.,San Bernardino Meridian.

East	on a random line between Sections 16 & 21.	Var.14°08'E
20.00	To base of abrupt stony hills bears N.& S.	
40.00	Set a post for temporary qr.Sec.corner	
68.00	To eastern base of stony hills.	
79.96	Intersect N.& S.line 30 lks.North of corner to Sections 15,16,21 & 22, from which corner I run	
West	on a true line between sections 16 & 21	Var.13°55'E.
39.98	Set a charred post for qr.Sec.corner,and raised a mound with trench as per instructions.	
79.96	The corner to Sections 16,17,20 & 21. Land rolling.Sandy soil with scrub and grass.	

North	between Sections 16 & 17.	Var.14°08'E.
40.00	Set a charred post for qr.Sec.corner and raised a mound with trench as per instructions.	
80.00	Set a charred post for cor.to Secs. 8,9,16 & 17 and raised a mound with trench as per instructions. Land rolling.Second rate with scrub and grass.	

East	on a random line between Sections 9 & 16.	Var.14°08'E.
40.00	Set a post for temporary qr.Sec.corner	
79.80	Intersect N.& S.line 46 lks.North of corner to Sections 9,10,15 & 16 from which corner I run	
West	on a true line between Sections 9 & 16	Var.13°48'E.
39.90	Set a charred post for qr.Sec.corner,and raised a mound with trench as per instructions.	
79.80	The corner to Sections 8,9,16 & 17. Land rolling.Sandy soil. Second rate with scrub and grass.	

North	between Sections 8 & 9.	Var.14°08'E.
40.00	Set a charred post for qr.Sec.corner,and raised a mound with trench as per instruction.	
80.00	Set a charred post for corner to Sections 4,5 8 & 9 and raised a mound with trench as per instructions. Land rolling hills sandy soil with grass.	

East	on a random line between Sections 4 & 9.	April 17,1856. Var.14°08'E.
40.00	Set a post for temporary qr.Sec.corner.	
79.98	Intersect N.& S.line 27 lks.North of corner to Secs.3,4,9 & 10, from which corner I run	
West	on a true line between Sections 4 & 9.	Var.13°56'E.
39.99	Set a charred post for qr.Sec.corner,and raised a mound with trench as per instructions.	
79.98	The corner to Sections 4,5,8 & 9.Land rolling,sandy soil with grass and sage.	

T.8 N,R.8W,San Berdinano Meridian.

North on a random line line between Sections 4 & 5. Var.14°08'E.

40.00 Set a post for temporary qr.Sec.corner

81.00 Intersect North boundary of the Township 42 lks.west of Cor.to Sections 4 & 5 from which corner I run

South on a true line between Sections 4 & 5. Var.13°50'E.

41.00 Set a charred post for qr.section corner,and raised a mound with trench as per instructions.

81.00 The corner to ~~xxxxxxxx~~ sections 4,5,8 & 9.Land rolling. Soil second rate with grass &c.

North between Sections 31 & 32. Var.14°08'E. 1856.

40.00 Set a charred post for qr.Sec.corner,and raised a mound with trench as per instructions.

80.00 Set a charred post for corner to Secs. 29, 30,31 & 32,and raised a mound with trench as per instructions.

Land rolling,Sandy soil second rate with grass and sage.

East on a random line between Sections 29 & 32. Var.14°08'E.

40.00 Set a post for temporary qr.Sec.corner

80.26 Intersect N.& S.line 50 lks.North of corner to Sections 28 & 29, 32 & 33,from which corner I run

West on a true line between Sections 29 & 32. Var.13°27'E.

40.13 Set a charred post for qr.Sec.corner,and raised a mound with trench as per instructions

80.26 The corner to Sections 29,30,31 & 32. Land rolling,second rate with scrub and grass.

West on a random line between Sections 30 & 31. Var.14°08'E.

40.00 Set a post for temporary qr.Sec.corner

80.16 Intersect the west boundary 53 lks.south of corner to Sections 30 & 31 from which corner I run

East on a true line between Sections 30 & 31. Var.13°46'E.

40.16 Set a charred post for qr.Sec.corner,and raised a mound with trench as per instructions.

80.16 The corner to Sections 29,30,31 & 32. Land rolling,sandy soil second rate with scrub and grass.

North between Sections 29 & 30.Easy Ascent Var.14°08'E.

40.00 Set a charred post for qr.Sec.corner and raised a mound with trench as perinstructions.

80.00 Set a charred post for corner to Sections 19,20,29 & 30 and raised a mound with trench as per instructions.
Land rolling.Sandy soil,second rate with scrub and grass.

T.8 N.,R.8 W. S.B.M.

East	on a random line between Sections 20 & 29.	Var.14°08'E.
40.00	Set a post for temporary qr.Sec.corner	
80.10	Intersect N.& S.line 58 lks.North of cor.to Secs.20,21,28 & 29. from which corner I run	
West	on a true line between sections 20 & 29.	Var.13°43'E.
40.05	Set a charred post for qr.Sec.corner and raised a mound with trench as per instructions.	
80.10	The corner to Sections 19,20,29 & 30. Land rolling,Sandy soil with grass,weeds and scrub.	

West	on a random line between sections 19 & 30.	Var.14°08'E.
40.00	Set a post for temporary qr.Sec.corner	
80.28	Intersect west boundary ofthe township 64 lks.south of corner to sections 19 & 30, from which corner I run	
East	on a true line between Sections 19 & 30.	Var.13°41'E.
40.28	Set a charred post for qr.Sec.corner,and raised a mound with trench as per instructions.	
80.28	The corner to Sections 19,20,29 & 30. Land rolling.Sandy.Soil second rate with scrub and grass.	

North	betweem Sections 19 & 20,easy ascent.	Var.14°08'E'
40.00	Set a charred post for qr.Sec.corner,and raised a mound,with trench as per instructions.	
45.00	To summit of ascent and then descend.	
80.00	Set a charred post for corner to Sections 17,18,19 & 20 and raised a mound with trench as per instructions.	
	Land rolling and sandy. Second rate with scrub.	

East	on a random line between Sections 17 & 20.	Var.14°08'E.
40.00	Set a post for temporary qr.Sec.corner.	
80.00	Intersect N.& S.line 60 lks.North of corner to Sections 16,17,20 & 21,form which corner I run	
West	on a true line between Sections 17 & 20.	Var.13°42'E.
40.00	Set a charred post for qr.Sec.corner and raised a mound with trench as per instructions.	
80.00	The corner to S ections 17,18,19 & 20. Land rolling. Second rate growth of scrub and grass.	

West	on a random line between Sections 18 & 19.	Var.14°08'E.
40.00	Set a post for temporary qr.Sec.corner	
80.35	Intersect west boundary of the Township 48 lks.south of Cor. to Sections 18 & 19,from which corner I run	
East	on a true line between sections 18 & 19.	Var.13°47'E.

T.8 N.,R.8 W. S.B.M.

40.35 Set a charred post for qr.sec.corner and raised a mound with trench as per instructions.

80.35 The corner to Sections 17,18,19 & 20.
Land rolling. Sandy soil.Second rate with scrub and grass.

North between sections 17 & 18,easy descent Var.14°08'E.

40.00 Set a charred post for qr.Sec.corner,and raised a mound with trench as per instructions.

80.00 Set a charred post for corner to Sections 7,8,17 & 18,and raised a mound with trench as per instructions.
Land rolling.Sandy soil.Second rate with scrub and grass.

East on a random line between Sections 8 & 17. Var.14°08'E.

40.00 Set a post for temporary qr.Sec.Cor.

80.16 Intersect N.& S.line 51 lks.North of cor.to Secs. 8,9,16 & 17, from which corner I run

West on a true line between Sections 8 & 17 Var.13°46'E.

40.08 Set a charred post for qr.Sec.corner,and raised a mound with trench as per instructions.

80.16 The corner to Sections 7,8,17 & 18.
Land rolling,sandy soil with scrub,weeds and grass.

West on a random line between Sections 7 & 18. April 18th.1856.
Var.14°08'E.

40.00 Set a post for temporary qr.Sec.corner

80.46 Intersect west boundary 62 lks.south of corner to Secs.7 & 18, from which corner I run

East on a true line between Sections 7 & 18 Var.13°41'E.

40.46 Set a charred post for qr.Sec.corner and raised a mound,with trench as per instructions.

80.46 The corner to Sections 7,8,17 & 18.
Land rolling.Sandy,Soil with scrub and grass.

North between Sections 7 & 8.. Var.14°08'E.

40.00 Set a charred post for qr.Sec.corner,and raised a mound with trench as per instructions.

80.00 Set a charred post for corner to Sections 5,6,7 & 8,and raised a mound with trench as per instructions.
Land hilly Sandy Soil,with scrub and grass.

East on a random line between Sections 5 & 8.. Var.14°08'E.

40.00 Set a post for temporary qr.Sec.corner

80.20 Intersect N.& S.line 62 lks.north of cor.to Secs.4,5,8 & 9 from which corner I run

West on a true line between Sections 5 & 8. Var.13°41'E.

40.10 Set a charred post for quarter section corner and raised a mound with trench as per instructions.

T.8 N.,R.8 W., S.B.M.

80.20 The corner to Sections 5,6,7 & 8.
Land rolling hills.Sandy soil with scrub &c.

West on a random line between Sections 6 & 7. Var.14°08'E.

40.00 Set a post for temporary qr.Sec.corner

80.60 Intersect west boundary of the Township 71 lks.south of corner to Sections 6 & 7,from which corner I run

East on a true line between Sections 6 & 7. Var.13°38'E.

40.60 Set a charred post for qr.Section corner and raised a mound with trench as per instructions.

80.60 The corner to Sections 5,6,7 & 8.
Land rolling hills sandy with scrub &c.

North on a random line between Sections 5 & 6. Var.14°08'E.

40.00 Set a post for temporary qr.Sec.corner.

80.90 Intersect north boundary of the Township 12 lks.west of corner to Sections 5 & 6,from which corner I run

South on a true line between Sections 5 & 6. Var.14°03'E.

40.90 Set a charred post for qr.Sec.corner and raised a mound with trench as per instructions.

80.90 The corner to Sections 5,6,7 & 8.
Land rolling hills sandy.third rate with scrub &c.

T.9N.,R.8W.

General Remarks.

The land in this Township is generally high rolling land,and covered with a growth of weeds,grass and scrub,and is well adapted to grazing purposes,however there is a portion of the Township that is susceptable of growing all kinds of small grain,say wheat,barley, oats and rye. Water may be had in sufficient quantity by digging, for any and all purposes.

T.9N., R.8W., S.B.M.

North between Sections 35 & 36 over low hills. Var.14°08'E.

40.00 Set a charred post for qr.Sec.corner and raised a mound with trench as per instructions.

80.00 Set a charred post for corner to Sections 25,26,35 & 36,and raised a mound with trench as per instructions.
Land rolling hills Sandy. Soil third rate with scrub and grass.

East on a random line between Sections 25 & 36. Var.14°08'E.

40.00 Set a post for temporary qr.Sec.corner

80.08 Intersect east boundary of the Township 30 lks.North of corner to Sections 25 & 36,from which corner I run

West on a true line between Sections 25 & 36. Var. 13°55'E.

40.04 Set a charred post for qr.Sec.corner,and raised a mound with trench as per instructions.

80.08 The corner to Sections 25,26,35 & 36.
Land rolling second rate with palmetto,scrub and grass

North between Sections 25 & 26 Var.14°08'E.

27.00 Leave low hills but continue rolling.

40.00 Set a charred post for qr.Sec.corner,and raised a mound with trench as per instructions.

80.00 Set a charred post for corner to Sections 23,24,25 & 26 and raised a mound with trench as per instructions.
Land rolling second rate with palmetto,scrub and grass.

East on a random line between Sections 24 & 25. Var.14°88'E

40.00 Set a post for temporary qr.Sec.corner.

79.96 Intersect the east boundary 28 lks.North of cornto Sections 24 & 25, from which corner I run

West on a true line between Sections 24 & 25. Var.13°56'E.

39.98 Set a charred post for qr.Sec.corner and raised a mound with trench as per instructions.

79.96 The corner to Sections 23,24,25 & 26
Land rolling,second rate with palmetto, grass,and scrub.

Township lines North & West of San Bernardino Meridian.

40.00 Set ¼ Sec.charred & chalked post,made mound,trench pits &c as per instructions.

80.00 Set charred,chalked & notched post,corner to sections 1,12,6 & 7, made mound trench pits &c per instructions.
Land 3rd.rate. Growth same as on last mile.

North on east boundary of Sec. 1

40.00 Set ¼ Sec.charred,chalked post,made mound,trench,pits &c per instructions.

80.00 To Cor.of Tps. 7 & 8 N.Rs.8 & 9 W.made mound,trench,pits &c. per instructions.
Growth of Spanich Bayonet &c. land 3rd.rate
Corner on north side of small dry ravine.

North Boundary of T 7 N,R.8 W. Var.14°08'East
From the corner of Tps. 7 & 8 N.Rs.8 & 9 W. I run

East on a random line on the North boundaries of Secs. 6,5,4,3,2,& 1 setting temp. every mile and half mile posts intersecting east

boundary 200 lks.S.of the true corner of Tps. 7 & 8 N,Rs.7 & 8 W. 6 mi. 00 chs.38 lks. Therefore the correction will be 38 lks. W. 34 lks.N. per mile.

From the corner of Tps. 7 & 8 N. Rs.7 & 8 W. I run

West — on north boundary of Sec. 1 — Var.14°08'East

40.00 — Set ¼ Sec.charred & chalked post,made mound,trench,pits per instructions.

80.00 — Set charred,chalked& notched post corner to Secs.1,2,35 & 36. Made mound,trench,pits &c.per instructions

Land generally third rate.

West — on N.boundary of Sec. 2.

39.00 — To foot of rocky hill.

40.00 — Set ¼ Sec.charred&chalked post. Made mound,trench pits &c.as per instructions. Mound of rocks and earth.

40.00 — To summit of hill and descend.

62.00 — Leave rocks.

80.00 — Set charred,chalked & notched post corner to Secs. 2,3,34 & 35, make mound,trench,pits &c per instructions in rolling ground.

West — on N.boundary of Sec. 3

40.00 — Set ¼ Sec.charred & chalked post make mound trench &c per instructions. ground descending

80.00 — Set charred,chalked & notched post corner of Sec.3,4 33 & 34 made mound trench pits &c pe r instructions

Soil 3rd.rate.

West — on N.boundary of Sec. 4.

40.00 — Set ¼ sec.charred & chalked post-made mound trench pits &c per instructions.

80.00 — Set charred,chalked & notched post corner to Sec. 4,5,32 & 33 made mound trench pits &c per instructions.

Land 3rd.rate & rolling.

West — on N.boundary of Sec. 5

40.00 — Set ¼ sec.charred & chalked post made mound trench pits &c per instructions.

80.00 — Set charred,chalked & notched post corner to Sec.5,6,35 & 36, made mound,trench pits &c.per instructions.

Land rolling & 3rd.rate

West — on N.boundary of Sec.6

40.00 — Set ¼ sec.charred post chalked made mound,trench & pits per insts.

80.38 — To Tps.7 & 8 N,Rs.8 & 9 W.

Land generally 3rd.rate.

Township lines North & West of San Bernardino Meridian.

East boundary of T 8 N,R. 9 W.

From the corner of Tps.7 & 8 N. Rs. 8 & 9 W.I run

North on east boundary of Sec. 36. Var.14°08' East

40.00 Set ¼ sec.charred & chalked post made mound,trench,pits &c per instructions.

58.00 Summit of low ridge.

78.00 Dry bed of ravine

80.00 Set charred chalked & notched post made mound trench pits &c.per instructions Cor Sec.25,36,30 & 31.

Soil 3rd.rate growth scrub &c

North on east boundary of Sec. 25

40.00 Set ¼ Sec.charred&chalked post made mound trench pits &c per instrs.

80.00 Set charred,chalked & notched post corner to Sec. 24,25,19 & 30. made mound,trench,pits &c.per instructions.

Land slightly hilly. Soil 3rd.rate.

North on east boundary of Sec. 24.

40.00 Set ¼ Sec.charred & chalked post made mound,trench pits &c per instructions. Soil 3rd.rate.. Weeds & scrub &c.

44.00 Summit of ridge

80.00 Set charred,chalked & notched post corner to Sec.13,24,18 & 19.